



DESKLINE® Product overview



The clever move



ZERO™ technology

The environment is increasingly on people's minds. LINAK® uses ZERO technology to lower standby power consumption to just 0.1 W. All DESKLINE control boxes have low standby power as standard. Look for the icon to denote products that have low standby power consumption.



PVC-Free™ systems

LINAK has acknowledged that there are alternatives to materials containing PVC. For health reasons and for the sake of the environment, most DESKLINE systems are PVC-Free as standard.



Plug & Play™

LINAK has the widest product range on the market. We develop and provide solutions where all components work together. True systems where everything fits, it is simply Plug & Play. With our DESKLINE systems, you can concentrate on design and furniture aesthetics.



5-year warranty

LINAK quality is a combination of high-quality components, semi-automatic production, competent and experienced personnel, as well as rigorous testing. We believe in our products and we believe that quality matters. That is why DESKLINE products have a 5-year warranty on manufacturing defects. As a market standard, batteries have a 12-month warranty.



LINAK® - We improve your life

For decades, LINAK® has helped redefine modern workplace interiors by developing electric height-adjustable systems for office desks and workstations worldwide – often in close collaboration with manufacturers or external interior designers.

With the widest product range for adjustable office desk systems on the market, you are free to create truly unique furniture. Our products are built on high quality, innovation and intuitiveness. Combined with our in-depth technical knowledge and local presence in 35 countries, you can be sure to find a perfect solution for your individual needs.



Columns for office desks

LINAK offers the widest product range for lifting columns on the market, giving you the freedom to design your unique desk. Select your column profile shape, add optional features and choose your favourite colours. We have your perfect column.

Standard features

PVC FREE


Plug & Play

Standard colours

All lifting columns come in our three standard colours: black, grey and white.


Your own colour

For truly unique designs, we also offer individual colours for lifting columns.



DL PLUS™


For even cleaner desk designs, choose PLUS™ for your lifting column. PLUS stands for invisible gliding pads and no punch marks on the metal tube - making the column profiles appear smoother.





IC (Integrated Controller)

For price/performance optimised office desks, choose your lifting column as IC (integrated controller) system. It is a set of two lifting columns: A master column with a built-in controller and a slave column. Connect, add a desk panel and an SMPS (Switch Mode Power Supply) unit.







Bench bracket

For easy integration with bench solutions, add a bench bracket to our rectangular and square profile columns.

Motor housing columns

Our selection of motor housing columns is a perfect match for Kick & Click™ top frames and is available with a wealth of options.

Rectangular profile					
					
<div><div>mini FT</div><div>mini SetPack</div><div>mini IC</div></div>		<div><div>mini SetPack</div><div>mini IC</div></div>		<div><div>mini FT</div><div>mini SetPack</div><div>mini PIEZO</div><div>mini PLUS</div><div>mini IC</div></div>	
<div><div>DL5</div><div>Speed: 38 mm/sec</div><div>Max thrust: 800 N/leg</div><div>Stroke length: 500 mm</div><div>Built-in dim: 645 mm</div><div>Available as a built-in actuator</div><div>Available with bench bracket</div></div>		<div><div>DL15</div><div>Speed: 38 mm/sec</div><div>Max thrust: 800 N/leg</div><div>Stroke length: 500 mm</div><div>Built-in dim: 645 mm</div></div>		<div><div>DL6</div><div>Speed: 38 mm/sec</div><div>Max thrust: 800 N/leg</div><div>Stroke length: 650 mm</div><div>Built-in dim: 560 mm</div><div>Available as a built-in actuator</div><div>Available in a 1200 N version</div><div>Available with bench bracket</div></div>	
					
<div><div>mini SetPack</div><div>mini PIEZO</div><div>mini IC</div></div>					
<div><div>DL16</div><div>Speed: 38 mm/sec</div><div>Max thrust: 800 N/leg</div><div>Stroke length: 650 mm</div><div>Built-in dim: 560 mm</div><div>XL version</div></div>					
Regular		2 stage		Upside down	
Regular		3 stage		Upside down	

Round profile					
					
<div><div>series: Feet</div><div>series: SetPack</div><div>series: IC</div></div>		<div><div>series: IC</div></div>		<div><div>series: Feet</div><div>series: PIEZO ANTI-COLLAPSE TECHNOLOGY</div><div>series: SetPack</div><div>series: IC</div></div>	
<div><div>DL10</div><div>Speed: 38 mm/sec</div><div>Max thrust: 800 N/leg</div><div>Stroke length: 500 mm</div><div>Built-in dim: 645 mm</div></div>		<div><div>DL8</div><div>Speed: 38 mm/sec</div><div>Max thrust: 800 N/leg</div><div>Stroke length: 500 mm</div><div>Built-in dim: 645 mm</div></div>		<div><div>DL11</div><div>Speed: 38 mm/sec</div><div>Max thrust: 800 N/leg</div><div>Stroke length: 650 mm</div><div>Built-in dim: 560 mm</div><div>Available in an XL-version</div></div>	
<div><div>DL9</div><div>Speed: 38 mm/sec</div><div>Max thrust: 800 N/leg</div><div>Stroke length: 650 mm</div><div>Built-in dim: 560 mm</div><div>Available in an XL-version</div></div>					
Regular		2 stage		Upside down	
Regular		3 stage		Upside down	

Square profile	
	Feet SetPack PIEZO IC
DL19 Speed: 38 mm/sec Max thrust: 800 N/leg Stroke length: 650 mm Built-in dim: 560 mm Available in a 1200 N version Available with bench bracket	
Regular	3 stage



Inline columns

Stylish columns blending in perfectly with current designs

<div> <div></div> <div>Ellipse profile</div> </div>	<div> <div></div> <div>Rectangular profile</div> </div>	<div> <div></div> <div>Round profile</div> </div>	<div> <div></div> <div>Square profile</div> </div>	<div> <div></div> <div>Standard features</div> </div>
<div>  </div> <div> DL45 Speed: 38 mm/sec Max thrust: 700 N/leg Stroke length: 675 mm Built-in dim: 560 mm </div> <div> 3 stage </div>	<div>  </div> <div> DL12 Speed: 38 mm/sec Max thrust: 700 N/leg Stroke length: 660 mm Built-in dim: 518 or 545 mm XL version </div> <div> 3 stage </div>	<div> <div>Feet</div>  </div> <div> DL14 Speed: 38 mm/sec Max thrust: 700 N/leg Stroke length: 660 mm Built-in dim: 525 mm Available as a built-in actuator </div> <div> 3 stage </div>	<div> <div>Feet</div>  </div> <div> DL17 Speed: 38 mm/sec Max thrust: 700 N/leg Stroke length: 660 mm Built-in dim: 518 or 545 mm Available with bench bracket </div> <div> 3 stage </div>	<div> <div>PVC FREE</div> <div>Plug & Play</div> </div> <div> <div> <div></div> <div></div> <div></div> </div> Standard colours All lifting columns come in our three standard colours: black, grey and white. </div> <div> <div> <div></div> <div></div> <div></div> </div> Your own colour For truly unique designs, we also offer individual colours for lifting columns. </div>

Power to the system

A compact, state-of-the-art control box CBD6S

The series of control boxes CBD6S combines the best of the past with unique features into compact, state-of-the-art control boxes. The CBD6S is backward compatible and works with the entire DESKLINE® product range.

Weighing down to 400 g and with a height of only 38 mm, it is easy to mount and has grooves in the bottom for intuitive cable management.

Standard features

Have eco-friendly power supply to your sit-stand desk. All parts are made of PVC-Free™ materials, and LINAK® ZERO™ technology ensures extremely low standby consumption (<0.1 W).








Control box

CBD6S 300 W

- Intuitive cable management
- Plug & Play™ with all lifting columns
- Up to 4 channels in parallel
- Universal input (300 W)

SetPack



Control box	Battery box	Switch Mode Power Supply		
 		<p>For DL IC systems, LINAK has a range of switch mode power supply units (SMPS) supplying power to the system.</p> <p>Available as 230 V (SMPS001), 120 V (SMPS002) or universal unit for worldwide use (SMPS006).</p>		
CBD6S 200 W <ul style="list-style-type: none">• Compact, lightweight• Up to 2 channels in parallel• 230 V or 120 V input• Intuitive cable management	BA001 <ul style="list-style-type: none">• Battery alarm (audio)• Battery charging indicator (LED light bars)• Capacity 2.2 Ah/53 Wh• Nominal voltage 24 V• Mounting bracket for easy mounting/demounting	 SMPS001/SMPS002 <ul style="list-style-type: none">• External switch mode power supply• For 230 V (SMPS001) or 120 V (SMPS002)• Compatible with DL IC systems	 SMPS006 <ul style="list-style-type: none">• External switch mode supply• Universal unit (100 V - 240 V)• Compatible with DL IC systems• Can be used as charger for the BA001 battery	

Desk Panels DPG

– intuitive design and clever functions



reddot design award
winner 2018

Truly digital and with a clever design, LINAK® launched the Desk Panels DPG series. Designed to help users of adjustable desks get the most out of their sit-stand applications.

Intuitive handling

Desk Panels DPG are operated via tilt instead of buttons, so there is no need to look while adjusting the desk. Push it twice, and the desk drives automatically between the user's stored memory positions (full versions only).

Motivational reminder function

Advanced Desk Panels DPG models include an integrated reminder function, made of an LED light strip or LED diode. It indicates the desk usage status of the user by either a green or an orange colour. Green = no action needed. Orange = time to change posture. Choose pre-configured or individual reminder set-up intervals.

Digital integration

Desk Panels DPG are a platform of endless functionality possibilities. Via the integrated Bluetooth® wireless technology, you can connect the Desk Panel with the Desk Control™ App and get additional features such as user statistics and reminders on your phone.

Did you know...? YouBrand

You can easily add your own logo to the Desk Panel. Available for all models.

DPG1C

SetPack PVC FREE



reddot design award
winner 2018

- Up & down drive
- Reminder
- Bluetooth®
- Memory
- LED light strip
- Display



DPG1B

SetPack PVC FREE



- Up & down drive
- Reminder
- Bluetooth®
- Memory
- LED light strip



DPG1M

SetPack PVC FREE



- Up & down drive
- Reminder
- Bluetooth®
- Memory
- LED diode



DPG1K

SetPack PVC FREE



- Up & down drive


App solutions for office desks

- Completing the Desk Panel DPG

The Desk Control App™ is the perfect supplement to your office desk. With the Desk Control App, you can connect your LINAK® system with your iOS and Android mobile devices. Auto-connect, motivational notifications and statistics with overview help utilise the office desk's adjustment more actively – ultimately improving work habits for the user.

LINAK offers three app solutions for office desks which enable you to offer your customers digital products that are fully compatible with LINAK office systems: Use the standard LINAK Desk Control App, customise the app in three simple steps to make it your own, or design a unique app with your own functions and features using the Software Development Kit (SDK).

The Desk Control app is available for both iOS and Android. Download your free copy of the Standard LINAK Desk Control App in App Store or Google Play.



Standard Desk Control™ App

It is free and available in stores.

- User statistics in focus
- Auto-connect to desk
- Motivational notifications
- Personalised to end user
- Available for iOS and Android
- Works via Bluetooth® wireless technology

Customised Desk Control™ App

Make the standard app your own in a few steps.

- Add a logo
- Add a company colour
- Add links to websites
- Available for iOS and Android
- Works via Bluetooth® wireless technology
- Your logo/brand in app Stores

LINAK Software Development Kit (SDK)

Work with app developers to create an app based on your needs.

- Complete toolbox of commands
- Tailor the app for your market
- Toolbox always up-to-date
- Commands tested with our systems
- Brand awareness with the end-user
- Your app in app Stores

Bluetooth® is a registered trademark of Bluetooth SIG, Inc. and any use of such marks by LINAK® is under license. Other trademarks and trade names are those of their respective owners.

Raise your level of control

Explore the full range of LINAK® control units for various desk types, workstations, kitchens and much more.



Controls			
<p>PVC FREE SetPack</p>  <p>DPA</p> <ul style="list-style-type: none"> • Small, compact panel • Up-down function • Intuitive use • Adjustable front 	<p>PVC FREE SetPack</p>  <p>DPB</p> <ul style="list-style-type: none"> • Small, compact panel • Up-down function • Intuitive use • Fixed, angled front • Drawer for easy mounting 	 <p>DPT</p> <ul style="list-style-type: none"> • For integration in tabletops • Touch technique • Display for height read-out • Memory positions • Available in black or white 	 <p>DPH</p> <ul style="list-style-type: none"> • Small, compact panel • Up-down function • For integration in tabletops • Can be customised • Available in black or white
Controls			Hand control
<p>PVC FREE SetPack</p>  <p>DPF with display</p> <ul style="list-style-type: none"> • Display for height read-out • Separate mounting bracket • Memory buttons controlling up to 4 references (DPF4T) • Buttons for favourite positions 	<p>PVC FREE</p>  <p>DPF</p> <ul style="list-style-type: none"> • Up-down function; optionally with buttons for favourite positions • Separate mounting bracket • Optional with memory 	<p>PVC FREE SetPack</p>  <p>DP1</p> <ul style="list-style-type: none"> • Classic control • Up/down (DP1K) • Optional with memory (DP1U) • Optional with memory and display (DP1C) 	 <p>HB10RF</p> <ul style="list-style-type: none"> • Wireless handset (RF based) • Easily operated • Ergonomic design • Available in 1 or 2-channel versions



Anti-Collision™ solutions

Add an Anti-Collision solution to your system and prevent your electric adjustable desk from suffering material damage in case of a collision with a solid object.

LINAK offers two solutions: the LINAK® Desk Sensor™ 1 (DS1) and LINAK® PIEZO™. You can include and offer both along with your desk – one or the other or even a combination of the two!

Desk Sensor™ 1



Based on gyroscopic technology, the Desk Sensor 1 (DS1) protects your desks from being damaged by hard and soft obstacles. It comes in a small unit, easy to add to any LINAK desk system. Just Plug & Play™

- Reacts to soft and hard objects
- Small unit easy to plug in, no extra mounting
- Compatible with all LINAK desk systems

Standard systems:

Plug DS1 into control box CBD6S

DL IC systems:

Use a T-Splitter and a serial cable to add DS1

PIEZO™



PIEZO Anti-Collision is a hardware-based sensor integrated in the lifting column and requires no extra installation. Most DL columns from LINAK come with PIEZO as an option.

Full frame solutions

If you are looking for an easy and pre-packed office desk system, choose a full frame solution. This includes everything you need for building your height-adjustable desk. All you need is to add your own tabletop.

Desk Frame 1

the flexible frame solution


● ● ●
Standard colours

Mix & Match

The flexible way to create individual full frame solutions is Desk Frame 1 (DF1). This LINAK concept allows you to mix and match from most of the DESKLINE range: Choose and combine a Kick & Click™ top frame, a DL SetPack and a DL Feet set.

1

Kick & Click™



Kick & Click™ is the innovative top frame for office desks. No screws or tools for mounting needed. It fits with all motor housing columns and into the design of T and C desks.

Available in three standard versions:

- Fixed (for desks of 120 cm)
- Adjustable (for desks between 140 and 200 cm)
- Base (flexible desk widths)
- Add a 3rd leg kit for large desk designs

2

DL SetPack

DESKLINE™
SetPack



Choose selected DESKLINE® products as pre-packed set. Our DL SetPack solution is a pre-packed box including:

- 2 lifting columns
- a desk panel
- a control box and cables

3

DL Feet

DESKLINE™
Feet



Add neatly designed DL Feet for selected lifting columns for T-desk designs.

- Choose between 10 standard versions
- Two lengths available (560 mm or 710 mm)
- For on top or recessed mounting of the column

Desk Frame 2

the intuitive frame solution

Beam

Cantilever set

Lifting columns

DL Feet

Ready to go!!



Standard colours

The arguably fastest way to build a sit-stand office desk with a LINAK system is with Desk Frame 2. This set-packed solution is all about intuitive assembly, clean design and LINAK performance.

1 solution - in 4 boxes



Beam

- Top frame for DF2 systems
- Contains all electronics, motor and all cable wiring
- Telescopic solution (120 - 180 cm)
- 230 V or 120 V input



DF2 columns

- Easy mounting
- Available profile: 3-part column, 50 x 80 mm (DL6 size)
- Invisible gliding pads for clean design



Cantilever set

- Length: 546 mm
- Easy mounting
- Available for T-desk designs
- Set includes cables and desk panel
- Set includes cantilevers, mains cable, desk panel and mounting kit



DL Feet

- Two lengths available (560 mm or 710 mm)
- For on top or recessed mounting of the column

Systems for workstations

Strong electric lifting columns from LINAK® offer ideal solutions and support for customers working with LEAN principles, process flow, and production automation - in package handling, logistics, or various production lines.

DESKLIFT™ lifting columns used in professional workstations provide smooth movement and better ergonomics for users built to handle heavy loads, use less energy, and to ensure a safe working environment around, for example, an ESD (electro-static discharge) workstation.

All in all, LINAK lifting columns for workstations is all about years of flawless and maintenance-free performance.



Columns for heavy load



- DL2**
- Max thrust: 2500 N/leg
 - Speed: 20 mm/sec
 - Stroke length: 300/350/500 mm
 - Built-in dim: 455/505/655 mm



- DL1A**
- Max thrust: 1600 N/leg
 - Speed: 43 mm/sec
 - Stroke length: 500 mm
 - Built-in dim: 645 mm



- DL6**
- Max thrust: 1200 N/leg
 - Speed: 38 mm/sec
 - Stroke length: 650 mm
 - Built-in dim: 560 mm



- DL19**
- Max thrust: 1200 N/leg
 - Speed: 38 mm/sec
 - Stroke length: 650 mm
 - Built-in dim: 560 mm

Linear actuators



- LA23**
- Speed: 12.6 mm/sec
Max thrust: 2500 N/actuator
Stroke length: 300 mm

Available in several lengths



- LA31**
- Speed: 20 mm/sec
Max thrust: 3500 N/actuator
Stroke length: 500 mm

Available in several lengths

Kitchen



- Baselift**
- Speed: 14 mm/sec
Max thrust: 1500 N
Stroke length: 100 mm
Built-in dim: 100 mm

Doing business with LINAK®

LINAK as your partner

We aim to be more to our customers than just another supplier. We want to be your partner. Partnering with LINAK is about more than purchasing a product. Our goal is to create added value for our customers by offering innovative solutions, extensive knowledge, world-class production, and global presence.



Strategic partnerships within R&D, after sales, logistics, marketing and manufacturing



Ever since our first actuator was developed, we have continued to bring new and innovative ideas to the market. Our innovative solutions are aimed at meeting customers' needs.



Process automation built on latest technology and run by LEAN principles



Updated market insights and local support offered to every customer market



In-depth knowledge of the market and the market trends makes LINAK a true solutions provider



For further information about the DESKLINE® product programme
LINAK.COM/DESKLINE



Subscribe to LINAK® DESKLINE news:
LINAK.COM/NEWSLETTER

Need support? Find answers to common questions about your DESKLINE system



LINAK Tech Support
LINAK.COM/TECH-SUPPORT



Product and support videos on YouTube
YOUTUBE.COM/LINAK



Global presence

LINAK® has a well-developed sales and service organisation in Europe, Americas, Asia and Australia.
Therefore, we can assist you and your customers locally, under the global sales concept idea:
Be global, act local

TERMS OF USE

The user is responsible for determining the suitability of LINAK products for a specific application. LINAK takes great care in providing accurate and up-to-date information on its products. However, due to continuous development in order to improve them, LINAK products are subject to frequent modifications and changes without prior notice. Therefore, LINAK cannot guarantee the correct and actual status of said information on its products. While LINAK uses its best efforts to fulfil orders, LINAK cannot, for the same reasons as mentioned above, guarantee the availability of any particular product. Therefore, LINAK reserves the right to discontinue the sale of any product displayed on its website or listed in its catalogues or other written material drawn up by LINAK.

All sales are subject to the Standard Terms of Sale and Delivery for LINAK. For a copy hereof, please contact LINAK.

LINAK has a world-class sales and service organisation.
Today we are present in 35 countries all over the world.
For further information, please visit our website: **LINAK.COM**

LINAK® 
WE IMPROVE YOUR LIFE